

Certificate of Analysis

Prepared For: Urban Daze Laboratory ID: 2024-01-24-017 Sample ID: CBD 25mg Soft Gel Capsule **Date Received:** 1/24/2024 CBD25SG012424 Batch ID: **Date Reported:** 1/31/2024 Sample Weight (mg): 999.80 **Testing Protocol:** Potency Material: Edible **HPLC Testing Method:**



Water Activity pH Moisture Density (g/mL) Terpenes

NT NT NT NT NT

NT

Cannabinoid Potency Analysis

Δ10-THC (R+S)	0.00%	
Δ9-THC	0.10%	
Δ9-ΤΗСΑ	0.00%	
Δ8-ΤΗС	0.00%	
Δ9-THCP	0.00%	
Δ9-THC-O Acetate	0.00%	
HHC (R+S)	0.00%	
Δ9-THCV	0.00%	
Δ9-THCVA	0.00%	
CBD		2.65%
CBDA	0.00%	
CBDV	0.00%	
CBDVA	0.00%	
CBG	0.07%	
CBGA	0.00%	
CBN	0.20%	
CBNA	0.00%	

Analyte	LOQ (%)	(%)	(mg/g)	mg/Sample
Δ10-THC (R+S)	0.01	0.00%	0.0	0.0
Δ9-ΤΗС	0.01	0.10%	1.0	1.0
Δ9-ΤΗCΑ	0.01	0.00%	0.0	0.0
Δ8-THC	0.01	0.00%	0.0	0.0
Δ9-THCP	0.01	0.00%	0.0	0.0
Δ9-THC-O Acetate	0.01	0.00%	0.0	0.0
HHC (R+S)	0.01	0.00%	0.0	0.0
Δ9-THCV	0.01	0.00%	0.0	0.0
Δ9-THCVA	0.01	0.00%	0.0	0.0
CBD	0.01	2.65%	26.5	26.5
CBDA	0.01	0.00%	0.0	0.0
CBDV	0.01	0.00%	0.0	0.0
CBDVA	0.01	0.00%	0.0	0.0
CBG	0.01	0.07%	0.7	0.6
CBGA	0.01	0.00%	0.0	0.0
CBN	0.01	0.20%	2.0	2.0
CBNA	0.01	0.00%	0.0	0.0
CBC	0.01	0.07%	0.7	0.7
CBCA	0.01	0.00%	0.0	0.0
Total		3.09%	30.9	30.8



Agrozen Laboratory
Authenticity QR Code

Analyst:
Josh Peterson
Date Tested:
1/24/2024

0.07%

0.00%

3.09%Total Cannabinoids

0.10%Total THC

2.65% Total CBD

Total THC = THCa * $0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested, NR = Not Reported, Density tested at a temperature range of 19-24 °C, Water Activity tested at a humidity range of 0.90% relative humidity.

Final Approval:

Jeff A. Peter

Jeff Peterson, Lab Director

CBC

CBCA

Buid Selle

Brian Schroeder, Managing Partner

Date Signed and Approved:

1/31/2024

417 Ransdell Road, Lebanon, IN 46052 (844)-655-6935

agrozenlabs.com



Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.